




## TIPPER (HALP PIPE) – 16M3 – WL



### BODY SPECIFICATIONS

Volume approx.: 16 m3  
Floor: 8mm, HB450  
Sides: 6mm, HB450  
Rear flap: 6mm, HB 450  
tipping angle: 47-49°  
U shape

Body with bent reinforcements sides for maximum body strength  
Inclined front wall with small roof

#### Tent on front wall

Loading platform made from extra-fine steel – welding by robot  
Front ladder on the driver side  
Inclined hydraulic rear flap **with double hinges**  
Rear chute - demountable

### AUXILIAR FRAME

Steel structure, frame side member made of H=200 mm cold formed – steel S500-KTL Coated  
structure reinforced with cross system (preventing from frame twisting) – reinforced mounting plate  
Rubber spacers on frame body props (security device for maintenance)  
Stabilizer between body and sub-frame  
HYFIX

### HYDRAULIC SYSTEM

HYVA/BINOTTO hydraulic cylinder FE - high pressure  
Oil tank with oil HLP 46 –Temp C +5-+70  
Hydraulic hoses  
Tipping knock-off valve  
Tipping valve (250 bar) with pressure sensor  
**Inclinometer - light and bip**

### PAINTING

All steel parts are shot peened two times before painting  
Subframe painted – RAL 9011

### JAPAFRICA MOBILITY SOLUTIONS, UNIPessoal LDA

Registada Cons. Reg. Com. Funchal  
NIPC 514 591 889  
Capital Social 505.000,00€

Rua Ivens, Nº22, 4º Direito  
Ilha da Madeira, Funchal (Sé)  
9000-046 Funchal

Body painted in RAL 9010.

All brackets, mudguards and bumper painted in KTL or zinc coated, black colour

#### **OTHER EQUIPAMENT**

Reflecting tapes ECE UN 48.3 (yellow)

Marking plate on tailgate (2 pcs)

Warning/information stickers (on subframe, tailgate, front wall)

Hydraulic pump

Tipping control

#### **OPTICIONAL EQUIPMENT (not included in the price)**

Steel /plastic mudguards on rear axles, with rubber flaps

ALU mudguards on rear axle

Basket for spare wheel on frame

Foldable rear underrun protection

Scissor stabilizer under the body



Small front cup ladder 2 pcs. And 1 pcs (Agreed 1 pcs)



Fenders on tandem AND second axle ALU



**JAPAFRICA MOBILITY SOLUTIONS, UNIPessoal LDA**

Registada Cons. Reg. Com. Funchal  
NIPC 514 591 889  
Capital Social 505.000,00€

Rua Ivens, Nº22, 4º Direito  
Ilha da Madeira, Funchal (Sé)  
9000-046 Funchal

[www.japafrica.com](http://www.japafrica.com)

Mudguards made of steel (galvanized)



Reinforced fixing brackets



Protective grills for rear lights



**JAPAFRICA MOBILITY SOLUTIONS, UNIPessoal LDA**

Registada Cons. Reg. Com. Funchal  
NIPC 514 591 889  
Capital Social 505.000,00€

Rua Ivens, Nº22, 4º Direito  
Ilha da Madeira, Funchal (Sé)  
9000-046 Funchal

[www.japafrica.com](http://www.japafrica.com)

Ladder inside



High position of hinges (more space for unloading)



Welded hooks for tarpaulin (only for tent on front wall)



**JAPAFRICA MOBILITY SOLUTIONS, UNIPessoal LDA**

Registada Cons. Reg. Com. Funchal  
NIPC 514 591 889  
Capital Social 505.000,00€

Rua Ivens, Nº22, 4º Direito  
Ilha da Madeira, Funchal (Sé)  
9000-046 Funchal

[www.japafrika.com](http://www.japafrika.com)

Inclined front wall (short cover)



Straight front wall with LONG COVER H cylinder



**JAPAFRICA MOBILITY SOLUTIONS, UNIPESSOAL LDA**

Registada Cons. Reg. Com. Funchal  
NIPC 514 591 889  
Capital Social 505.000,00€

Rua Ivens, Nº22, 4º Direito  
Ilha da Madeira, Funchal (Sé)  
9000-046 Funchal

[www.japafrica.com](http://www.japafrica.com)